

ODP-81-943
13 August 1981

MEMORANDUM FOR: DDO ADP Control Officer
NPIC ADP Control Officer
C/CEMB/ODP

FROM : [REDACTED]
Policy and Plans Group, ODP

SUBJECT : Excess ADP Equipment

1. The attached Property Turn-In Document (Form 1707) lists ADP equipment excess to an office's needs. If your component has a requirement for any of the equipment, please forward a Speed Letter to ODP Management Staff, Attn: [REDACTED] Room 2D0105, Headquarters by 25 August 1981. The Speed Letter should include the following information from the Form 1707:

Turn-In No. (Document Control No.);
Item No.;
Nomenclature; and
A statement of the requirement.

2. Any technical questions about the equipment should be addressed directly to the contact named on the form. If you have any questions concerning the reassignment of this equipment, please feel free to call me on [REDACTED]

Att: Form 1707; No.: 6062-81187-138 (all items)

STAT

ODP/MS/SS:chm [] (13Aug81)(excess-adp) js's disk

DISTRIBUTION:

- ORIGINAL & 1 - ADDRESSEE
2 - O/D/ODP
1 - MS CHRONO
1 - MS SUBJECT FILE
2 - ODP REGISTRY

STAT

Approved For Release 2005/08/02 : CIA-RDP84-00933R000200180019-3

Approved For Release 2005/08/02 : CIA-RDP84-00933R000200180019-3